

*Abstract Notification, dated 25th January 1939.*

The attention of the public is invited to the Notification calling for tenders for erecting Electric lift in Old Public Offices (Building portion), Bangalore, on pages 222 to 225 of Part VI of the *Mysore Gazette*, dated 2nd February 1939.

The last date of receiving tenders is 20th February 1939.

B. R. GARUDACHAR,  
*Executive Engineer.*

## BANGALORE DIVISION.

*Abstract Notification dated 25th January 1939.*

The attention of the public is hereby invited to the detailed notification inviting sealed tenders for restoring the breached Sannahalli Chikkere, Reg. No. 66 of Magadi Taluk, published on pages 225-227 of Part VI of the *Mysore Gazette*, dated 2nd February 1939.

The last date for the receipt of the tender is 2 P.M. on 20th February 1939. Duplicate challan for having credited the deposit amount of Rs. 405 into the Treasury under "17 (a) P. W. Deposits" must accompany each tender.

N. LAKSHMINARASIMHAIA,  
*Executive Engineer.*

## TUMKUR DIVISION.

*Abstract Notification dated 24th January 1939.*

The attention of the public is drawn to the Notification calling for tenders for the construction of additional rooms for the Government Kannada Boys' Middle School at Tiptur, published in pages 228-229, Part VI of the *Mysore Gazette*, dated 2nd February 1939.

Tenders will be received by the Executive Engineer, Tumkur Division, up to 2 P.M. on 10th February 1939.

The earnest money required for the work is Rs. 200 and the same should be credited to the Treasury to the head "17 (a) P. W. Deposits" and the duplicate challan enclosed to the tender.

*Abstract Notification dated 28th January 1939.*

The attention of the public is drawn to the Notification calling for tenders for opening out a new road to link up the Nonvinkere-Tiptur Road published in pages 268-269, Part VI of the *Mysore Gazette*, dated 2nd February 1939.

The tenders will be received by the Executive Engineer, Tumkur Division, up to 2 P.M., on 20th February 1939.

The earnest money required for the work is Rs. 130 which should be credited to the Treasury to the head "17 (a) P. W. Deposits" and the challan enclosed with the tender.

P. RAJAGOPALAN,  
*Executive Engineer.*

OFFICE OF THE EXECUTIVE ENGINEER, MARCONAHALLI RESERVOIR DIVISION,  
MARCONAHALLI.*Abstract Notification dated 21st January 1939.*

The attention of the public is invited to Gazette Notification dated 26th January 1939, Part VI, page 204, inviting quotations for the purchase of empty steel casks available in the office of the Executive Engineer, Marconahalli Reservoir Division.

M. NARASIMHAIA,  
*Executive Engineer.*

## HASSAN DIVISION.

*Notification dated 31st January 1939.*

1. Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 22nd February 1939 till 3 P.M., for restoring Papanaghatta Naikanakere, Channarayapatna Taluk.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for restoring Papanaghatta Naikanakere, Channarayapatna Taluk." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 350 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract (cash amount will not carry any interest). In case of the acceptance of the tender, an addition of 5 per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such of the tenderers as wish to be present on the date of opening. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents, in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities in estimates are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of June 1939, failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 500 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quantity of work, etc., the decision of the Executive Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will be, however, considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

## Abstract estimate for restoring Papanaghatta Naikanakere, Channarayapatna Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	<i>Bund R. L. 53.00.</i>		Rs. a. p.		Rs.
1	Jungle clearing and cutting grips .. ..	Grade	2 0 0	38	
2	Earthwork excavation for seat of bund ..	C.yd.	0 3 0	937	
3	Earthwork to bund including watering and consolidation ..	"	0 4 0	10,652	
4	Consolidation charges for earth available from excavation ..	"	0 1 0	2,779	
5	Rough stone revetment for breached portion including jelly wedging and packing ..	"	1 8 0	418	
6	Puddle corewall ..	"	0 12 0	531	
7	Turfing to slopes front and rear ..	S.yd.	0 0 10	8,362	
8	Providing and fixing new grade stones including figuring, painting, etc., complete ..	Each	2 8 0	38	
9	Do do Index stones ..	"	0 8 0	38	
10	Do do B. M. Stones ..	"	3 8 0	2	
11	Do do Reg. No. and Date stone ..	No.	5 0 0	1	
12	Putting up a ring bund, etc. ..	L. S.			52 0 0
	<i>Constructing Sluice No. 1 at R. L. 42.00.</i>				
1	Cutting open the bund and refilling and earthwork excavation ..	L. S.			50 0 0
2	Stone jelly concrete in surki mortar ..	C.ft.	0 4 6	98	
3	Size stone in surki mortar ..	"	0 5 0	221	
4	Burnt stone slabs 6" thick fixed ..	Sq.ft.	0 8 0	58	
5	Cement concrete over the walls with thick plastering above ..	C.ft.	1 0 0	9	
6	Cement pointing ..	Sqrs.	4 0 0	2	
7	Drilling holes in slabs ..	Each	1 0 0	3	
8	Supplying and fixing 6" C. I. pipe, etc. ..	R.ft.	2 0 0	36	
9	Providing gallywood plug and iron rod including locking arrangements, etc., complete ..	Set	10 0 0	Set 1	
	<i>Sluice No. 2 at R. L. 42.00.</i>				
	*N.B.—Quantities same as sluice No. 1.				
	<i>Constructing a weir of 210' at R. L. 47.00.</i>				
1	Earthwork excavation for foundation ..	C.yd.	0 3 0	1,475	
2	Stone jelly concrete in surki mortar ..	C.ft.	0 4 6	1,303	
3	Size stone in surki mortar ..	"	0 5 0	1,544	
4	Cement concrete 3" thick 1 : 2 : 4 ..	"	0 12 0	177	
5	Pointing with cement mortar ..	Sqr.	4 0 0	4.00	
6	Rough stone work new ..	C.yd.	1 8 0	207	
7	Resetting old stones available with new jelly packing ..	C.yd.	0 12 0	200	

Notification dated 4th February 1939.

Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 3rd March 1939, till 3 P.M. for constructing a New Tank between Ayarahalli and Yagati Villages in Channarayapatna Taluk.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for constructing a New Tank between Ayarahalli and Yagati Villages in Channarayapatna Taluk."

The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 550 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest). In case of the acceptance of the tender an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers as wish to be present on the date of opening. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the P. W. D. Current Schedule of Rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities in estimates are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the P. W. D. by the end of June 1939 failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 500 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for the agreement or of rates, penalties, measurement, quality of work, etc., the decision of the Executive Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the Departmental Officers will be, however, considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Abstract estimate for constructing a new tank between Ayyarhally and Yagati villages in Channarayapatna Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	<i>Bund R. L. 55.00.</i>		Rs. a. p.		Rs. a. p.
1	Removing jungle and clearing site	L. S.			25 0 0
2	E. W. Excavn. of foundation for seat of bund, etc.	C.yd.	0 4 0	602	
3	Removing silt and sand in halla	"	0 3 0	74	
4	E. W. cutting steps and grips in bund	"	0 4 0	60	
5	E. W. excavating foundation of revetment	"	0 4 0	362	
6	Do puddle trench	"	0 4 0	18	
7	E. Work to bund with consolidation	"	0 6 0	12,678	
8	Gravel backing to revetment	"	0 8 0	421	
9	R. S. revetment with jelly packing	"	2 0 0	1,687	
9	(a) Turfing both slopes	S.yd.	0 1 0	3,756	
9	(b) Providing and fixing new grade stones with figuring and painting	Each	2 8 0	16	
10	Do Index stones	"	1 8 0	16	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
11	Painting and figuring B. M. Stones ..	Each	0 12 0	2	
12	Providing and fixing date and Reg. No. Stone ..		5 0 0	1	
13	E. W. filling in puddle-trench and puddle-wall with selected earth mixed with gravel ..	C.yd.	1 0 0	190	
<i>Sluice.</i>					
1	E. W. excavation ..	C.yd.	0 4 0	20	
2	Concrete in surki mortar ..	C.ft.	0 4 6	192	
3	Burnt brick in mortar ..	"	0 5 6	536	
4	B. S. Slabs 4" to 6" thick dressed and fixed ..	S.ft.	0 12 0	105	
5	Providing and fixing 1' thick gibbet stones well-dressed ..	"	1 8 0	27	
6	Providing and fixing 6' dia. C. I. pipes including carting, cement pointing, etc., complete ..	R.ft.	3 8 0	36	
7	Drilling holes in orifice slabs ..	Each	1 8 0	3	
8	Palastering with surki mortar ..	Sqr.	5 0 0	4.00	
9	Providing and fixing teak-wood plug and rod with locking arrangements ..	L. S.			15 0 0
<i>Waste Weir at R. L. 50.00—200 feet long.</i>					
1	E. W. excavation in hard soil ..	C.yd.	0 4 0	77	
2	Concrete in surki mortar ..	C.ft.	0 4 6	218	
3	Burnt brick in mortar ..	"	0 5 6	548	
4	B. S. slabs 4" to 6" thick dressed ..	S.ft.	0 12 0	316	
5	Rough stone work with new jelly for apron ..	C.yd.	2 0 0	74	
6	E. W. clearing draft and approach ..	C.yd.	0 3 0	533	
7	Providing a high level sluice at R. L. 47.50 in waste weir body wall ..				
	(as per details)				
	Details of high level sluices at 47.50 in waste weir body wall:—				
	(a) Earthwork excavation ..	C.yd.	0 4 0	10	
	(b) Surki mortar concrete ..	C.ft.	0 4 6	25	
	(c) Size stone in surki mortar ..	C.ft.	0 5 6	400	
	(d) Providing shutter of 2" with necessary iron bands and gear rod, etc. ..	L. S.			20 0 0
	(e) Burnt stone slabs 6" thick roughly dressed and fixed ..	S.ft.	0 7 0	50	
	(f) Cutting holes in slabs ..	No.	1 0 0	4	

P. SUBBA RAO,  
Executive Engineer.

#### CHITALDRUG DIVISION.

*Abstract Notification dated 20th January 1939.*

The attention of the public is invited to the detailed Notification, calling for tenders for diverting main drainage from causeway at 7-192 of Salem-Bellary Road and constructing a slabbed tunnel in place of the existing causeway published in *Mysore Gazette*, dated 26th January 1939, pages 171-173 of Part VI.

The last date of tender is 13th February 1939.

*Abstract Notification dated 24th January 1939.*

The attention of the public is hereby invited to the detailed Notification calling for tenders for constructing a bridge at 4-6 of Holalkere-Huliya road, published in pages 230-232, part VI of the *Mysore Gazette*, dated 2nd February 1939.